

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/668,567	09/23/2003	Satoko Ito	NG8775US	3077
22203	7590 12/16/2005		EXAM	INER
KUSNER & JAFFE			RAABE, CHRISTOPHER M	
HIGHLAND PLACE SUITE 310				D. 200 . 40 (DED
6151 WILSON MILLS ROAD			ART UNIT	PAPER NUMBER
HIGHLAND HEIGHTS, OH 44143			2879	

DATE MAILED: 12/16/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

		<i>\</i>				
	Application No.	Applicant(s)				
Office Action Summany	10/668,567	ITO ET AL.				
Office Action Summary	Examiner	Art Unit				
	Christopher M. Raabe	2879				
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPL' THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply If NO period for reply is specified above, the maximum statutory period v - Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be tin y within the statutory minimum of thirty (30) day will apply and will expire SIX (6) MONTHS from , cause the application to become ABANDONE	nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on						
	action is non-final.					
3) Since this application is in condition for allowar	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under E	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims						
4) Claim(s) 1-10 is/are pending in the application.	Claim(s) <u>1-10</u> is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration.					
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1-10</u> is/are rejected.						
7) Claim(s) is/are objected to.	•					
8) Claim(s) are subject to restriction and/or election requirement.						
Application Papers						
9) The specification is objected to by the Examine	r.					
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) ☐ The oath or declaration is objected to by the Ex	caminer. Note the attached Office	Action or form PTO-152.				
Priority under 35 U.S.C. § 119						
 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☐ All b) ☐ Some * c) ☐ None of: 1. ☐ Certified copies of the priority documents have been received. 						
2. Certified copies of the priority document		on No				
3. Copies of the certified copies of the prior	rity documents have been receive	ed in this National Stage				
application from the International Bureau	u (PCT Rule 17.2(a)).					
* See the attached detailed Office action for a list of the certified copies not received.						
Attachment(s)						
1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413)						
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date Notice of Informal Patent Application (PTO-152)						
3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date 5) Notice of Informal Patent Application (PTO-152) 6) Other:						

1. In previous action, sent August 19, 2005, the examiner failed to address claims 9 and

10. This action corrects that error and is intended to replace the previous action.

2. Amendment filed on June 6, 2005 has been entered and acknowledged by the

examiner.

3. Applicant's arguments filed June 6, 2005 have been fully considered but they are not

persuasive.

Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all

obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the

invention was made to a person having ordinary skill in the art to which said subject matter pertains.

Patentability shall not be negatived by the manner in which the invention was made.

This application currently names joint inventors. In considering patentability of the

claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various

claims was commonly owned at the time any inventions covered therein were made absent any

evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out

the inventor and invention dates of each claim that was not commonly owned at the time a later

invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c)

and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

Art Unit: 2879

5. Claims 1-7,9,10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Miyashita et al. (U.S. Patent 6724133), in view of Weber (U.S. Patent 3753795).

With regard to claim 1:

Miyashita et al. disclose a spark plug (column 1, line 8) for use in an internal combustion engine, comprising: a tubular insulator (column 10, line 35 and 3 of Figs 1,2) having an axial hole extending therethrough in an axial direction (column 10, lines 45-47 and 3d of Fig 2); a center electrode (column 1, lines 37-38 and 2 of Figs 1,2) fitted into the axial hole and having a distal end portion protruding from a distal end of the insulator (column 10, lines 47-48 and t, 2 of Fig 2); and a single or a plurality of ground electrodes located diametrally outside of the center electrode (column 10, lines 54-56 and 4 of Fig 2) and positionally related to a distal end portion of the insulator and the distal end portion of the center electrode such that at least a portion of spark discharge generated between the ground electrode(s) and the distal end portion of the center electrode includes creeping discharge along a surface of the distal end portion of the insulator (column 12, lines 1-8 and 2, 3, 4, g1 and g2 of Fig 2); at least the distal end portion the center electrode being configured such that at least a surface of the distal end portion of the center electrode is formed of an Ni alloy which contains Ni as a primary component in an amount 80 wt% or more (column 11, line 41) and Fe and Cr as secondary components in a total amount of 2.5 to 10.0 wt% (column 11, lines 40-44), wherein the Ni alloy contains Fe, as a secondary component, in an amount of about 1.0 wt% to about 6.0 wt% (column 11, lines 40-44).

Miyashita et al. do not disclose the spark plug above wherein the Ni alloy further contains Al as a secondary component in an amount of 0.2 wt% to 0.8 wt%.

Art Unit: 2879

Weber does disclose a spark plug wherein the Ni alloy of the electrode further contains Al as a secondary component in an amount of 0.2 wt% to 0.8 wt% (column 2, lines 27-28).

It would have been obvious to one of ordinary skill in the art at the time of the invention to incorporate the Al content of the Ni alloy disclosed in Weber into the spark plug of Miyashita et al., as the stability of the resulting aluminum oxide helps to prevent damage to the interior of the electrode (column 1, lines 60-67; column 2, lines 25-45; column 4, lines 13-16, MPEP 2144).

With regard to claim 2:

Miyashita et al. disclose a spark plug for use in an internal combustion engine, wherein the single ground electrode, or at least one of the plurality of ground electrodes is disposed such that a distal end face (4a of Fig 2) of the ground electrode faces a portion of a circumferential surface of the distal end portion of the center electrode (2b of Fig 2) while at least a part of the distal end portion of the insulator intervenes therebetween (column 12, lines 1-8 and g1, g2 of Fig 2).

With regard to claim 3:

Miyashita et al. disclose a spark plug for use in an internal combustion engine, wherein the Ni alloy contains Fe, as a secondary component, in an amount of 1.5 wt% to 5.0 wt% (column 11, lines 40-43).

With regard to claim 4:

Miyashita et al. disclose a spark plug for use in an internal combustion engine, wherein the Ni alloy contains Cr, as a secondary component, in an amount of 1.5 wt% to 5.0 wt% (column 11, lines 40-43).

Page 5

With regard to claim 5:

Miyashita et al. disclose a spark plug for use in an internal combustion engine, wherein

the Ni alloy contains at least any one of Mn, Cu, and Co as a secondary component (column 12,

lines 20-22).

With regard to claim 6:

Miyashita et al. disclose a spark plug for use in an internal combustion engine, wherein,

when b represents the content (wt%) of Al, and c represents the total of Mn, Cu, and Co

contents (wt%), the Ni alloy satisfies $0.3b \le c \le 6.0b$ (column 23, lines 22-27 and Materials D, E,

F, G of Table 1)

With regard to claim 7:

Miyashita et al. disclose a spark plug for use in an internal combustion engine, wherein

the center electrode comprises a core member formed of Cu or a Cu alloy (column 11, lines 32-

33 and 2m of Fig 2), and a covering member formed of the Ni alloy (column 11 lines 29-36 and

2n of Fig 2) and covering at least a distal end portion of the core member such that a distal end

of the core member is located on a proximal side with respect to a distal end face of the center

electrode (2m and 2n of Fig 2); and the Ni alloy contains C as a secondary component in an

amount of 0.003 wt% to 0.05 wt% (material B of Table 1).

With regard to claim 9,

Miyashita et al. disclose a spark plug for use in an internal combustion engine according to claim 1, wherein the Ni alloy contains Fe, as a secondary component, in an amount of about 1.0 wt% (column 11, lines 40-44)

With regard to claim 10,

Miyashita et al. disclose a spark plug for use in an internal combustion engine according to claim 1, wherein the Ni alloy contains Fe, as a secondary component, in an amount of about 6.0 wt% (column 11, lines 40-44)

6. Claim 8 is rejected under 35 U.S.C. 103(a) as being unpatentable over Miyashita et al., in view of Weber as applied to claims 1-7 above, and further in view of Kanao (US Patent 6470845).

With regard to claim 8:

Miyashita et al. disclose a spark plug for use in an internal combustion engine, further comprising a metallic shell (column 10, lines 34-35 and 5 of Fig 1) disposed in such a manner as to surround a periphery of the insulator and such that the distal end portion of the insulator protrudes beyond a distal end face of the metallic shell (column 10, lines 34-37)

Miyashita et al. do not disclose a spark plug wherein the metallic shell has an outside diameter of 10.1 mm or less at its distal end.

Kanao does disclose a spark plug wherein the metallic shell has an outside diameter of 10.1 mm or less at its distal end (column 1, lines 58-60 and 2, 2a, 2b of Fig 1).

It would have been obvious to one of ordinary skill in the art at the time of the invention to place the size requirements of Kanao on the spark plug of Miyashita et al. in order to keep a space surrounding the combustion chamber of the engine (column 1, lines 15-19 of Kanao).

7. The examiner responds to applicant's arguments (filed on June 6, 2005) as follows.

Applicant mentions in his response (filed on June 6, 2005) that it would not have been obvious to combine the use of aluminum in the nickel alloy of Weber into the nickel alloy of Miyashita et al., as this would be counter to the suppression of channeling of the insulator disclosed in the application. However, Weber does disclose motivation for providing aluminum in the nickel alloy (column 1, lines 60-67; column 2, lines 25-45; column 4, lines 13-16 of Weber). It is not required that the motivation for the combination disclosed in the prior art be the same as that disclosed in the application (see MPEP 2144).

Since the argument against the rejection of claims 1-8 is not persuasive, the examiner maintains the prior art rejection.

Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37

Art Unit: 2879

CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Christopher M. Raabe whose telephone number is 571-272-8434. The examiner can normally be reached Monday-Friday 7am-3:30pm EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nimesh Patel can be reached on 571-272-2457. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

CR

